

January 4, 2004

Case No. GP-301932 (2760/39)

Serial No.. 10/001,941

Filed: November 30, 2001

Page 2 of 13

AMENDMENTS TO THE CLAIMS

Claims 1-19 are currently pending in the application.

A listing of the entire set of pending claims 1-19 is submitted herewith per 37

Vehicle phone C.F.R. §1.121. This listing of claims 1-19 will replace all prior versions, and listings, of claims in the application:

1. (Original) A method for remotely routing a voice call forwarded to a first telematic device, said method comprising:
(1) maintaining a call state of the voice call in response to an answering by the first telematic device of one or more call forwarding rings indicative of the voice call; and
forwarding the voice call to either a voice mail module, a second telematic device or a telecommunication device in response to a failure of a user of the first telematic device to answer one or more fake rings indicative of the voice call.
2. (Original) The method of claim 1, further comprising:
monitoring ring back tones provided by the first telematic device in response to answering the one or more call forwarding rings,
wherein the voice call is forwarded to either the voice mail module, the second telematic device or the telecommunication device in response to a failure of a user of the first telematic device to answer one or more fake rings after a prescribed number of ring back tones.
3. (Previously Presented) The method of claim 1, further comprising:
initiating a timer in response to the answering of the one or more call forwarding rings by the first telematic device,
wherein the voice call is forwarded to either the voice mail module, the second telematic device or the telecommunication device in response to the first telematic device dropping the voice call within a prescribed timer window.

January 4, 2004
Case No. GP-301932 (2760/39)
Serial No.. 10/001,941
Filed: November 30, 2001
Page 3 of 13

4. (Original) The method of claim 1, further comprising:
providing an announcement to a caller of the voice call, the announcement indicating the forwarding of the voice call to the first telematic device.
5. (Original) The method of claim 1, further comprising:
playing music for a caller of the voice all while maintaining the call state of the voice call.
6. (Original) The method of claim 1, further comprising.
running an advertisement for a caller of the voice all while maintaining the call state of the voice call.
7. (Original) A method for remotely routing a voice call forwarded to a first telematic device, said method comprising:
maintaining a call state of the voice call in response to an answering by the first telematic device of one or more call forwarding rings indicative of the voice call;
monitoring ring back tones provided by the first telematic device in response to answering the one or more call forwarding rings; and
forwarding the voice call to either a voice mail module either a voice mail module, a second telematic device or a telecommunication device in response to a failure of a user of the first telematic device to answer one or more fake rings indicative of the voice call after a prescribed number of ring back tones.

January 4, 2004

Case No. GP-301932 (2760/39)

Serial No.: 10/001,941

Filed: November 30, 2001

Page 4 of 13

8. (Previously Presented) A method for remotely routing a voice call forwarded to a first telematic device, said method comprising:

maintaining a call state of the voice call in response to an answering by the first telematic device of one or more call forwarding rings indicative of the voice call;

initiating a timer in response to the answering of the one or more call forwarding rings by the first telematic device; and

forwarding the voice call to either a voice mail module, a second telematic device or a telecommunication device in response to the first telematic device dropping the voice call within a prescribed timer window.

9. (Previously Presented) A device, comprising:

a call forwarding module operable to forward a voice call to a first telematic device; and

[a voice portal] operable to maintain a call state of the voice call in response to an answering by the first telematic device of one or more call forwarding rings indicative of the voice call, said voice portal further operable to forward the voice call to either a voice mail module, a second telematic device or a telecommunication device in response to a failure of a user of the first telematic device to answer one or more fake rings indicative of the voice call.

10. (Previously Presented) The device of claim 9, wherein:

said voice portal is further operable to monitor ring back tones provided by the first telematic device in response to answering the one or more call forwarding rings; and

said voice portal forwards the voice call to either the voice mail module, the second telematic device or the telecommunication device in response to a failure of a user of the first telematic device to answer one or more fake rings after a prescribed number of ring back tones.

January 4, 2004

Case No. GP-301932 (2760/39)

Serial No.: 10/001,941

Filed: November 30, 2001

Page 5 of 13

11. (Previously Presented) The device of claim 9, wherein:
said voice portal is further operable to initiate a timer in response to the answering of the one or more call forwarding rings by the first telematic device; and
said voice portal forwards the voice call to either the voice mail module, the second telematic device or the telecommunication device in response to the first telematic device dropping the voice call within a prescribed timer window.
12. (Previously Presented) The device of claim 9, wherein:
said voice portal is further operable to provide an announcement to a caller of the voice call, the announcement indicating the forwarding of the voice call to the first telematic device.
13. (Previously Presented) The device of claim 9, wherein:
said voice portal is further operable to play music for a caller of the voice call while maintaining the call state of the voice call.
14. (Previously Presented) The device of claim 9, wherein:
said voice portal is further operable to run an advertisement for a caller of the voice call while maintaining the call state of the voice call

January 4, 2004
Case No. GP-301932 (2760/39)
Serial No.: 10/001,941
Filed November 30, 2001
Page 6 of 13

15.

(Previously Presented) A device comprising:

a call forwarding operable to forward a voice call to a first telematic device; and
a voice portal operable to maintain a call state of the voice call in response to an
answering by the first telematic device of one or more call forwarding rings indicative of
the voice call,

wherein said voice portal is further operable to monitor ring back tones
provided by the first telematic device in response to answering the one or more call
forwarding rings, and

either a voice mail module either a voice mail module, a second telematic device or a
telecommunication device in response to a failure of a user of the first telematic device to
answer one or more fake rings indicative of the voice call after a prescribed number of
ring back tones.

16.

(Previously Presented) A device comprising:

a call forwarding operable to forward a voice call to a first telematic device; and
a voice portal module operable to maintain a call state of the voice call in
response to an answering by the first telematic device of one or more call forwarding
rings indicative of the voice call,

wherein said voice portal is further operable to initiate a timer in response
to the answering of the one or more call forwarding rings by the first telematic device,
and

wherein said voice portal is further operable to forward the voice call to
either a voice mail module, a second telematic device or a telecommunication device in
response to the first telematic device dropping the voice call within a prescribed timer
window.

17. (Original) A device, comprising:

means for maintaining a call state of the voice call in response to an answering by the first telematic device of one or more call forwarding rings indicative of the voice call; and

means for forwarding the voice call to either a voice mail module, a second telematic device or a telecommunication device in response to a failure of a user of the first telematic device to answer one or more fake rings indicative of the voice call.

18. (Original) A device, comprising:

means for maintaining a call state of the voice call in response to an answering by the first telematic device of one or more call forwarding rings indicative of the voice call;

{ means for monitoring ring back tones provided by the first telematic device in response to answering the one or more call forwarding rings; and

} means for forwarding the voice call to either a voice mail module either a voice mail module, a second telematic device or a telecommunication device in response to a failure of a user of the first telematic device to answer one or more fake rings indicative of the voice call after a prescribed number of ring back tones.

19. (Previously Presented) A device, comprising:

means for maintaining a call state of the voice call in response to an answering by the first telematic device of one or more call forwarding rings indicative of the voice call;

{ means for initiating a timer in response to the answering of the one or more call forwarding rings by the first telematic device; and

} means for forwarding the voice call to either a voice mail module, a second telematic device or a telecommunication device in response to the first telematic device dropping the voice call within a prescribed timer window.